



A monthly journal of cardiology
published in association with
the British Cardiac Society

British Heart Journal

- | | | | |
|--|-----|--|-----|
| Assessment of function of contractile segments in patients with left ventricular aneurysms by quantitative first pass radionuclide ventriculography. Haemodynamic correlation at rest and exercise <i>D S Dymond, J Stephens, D Stone, P H Jarritt, A Elliott, K E Britton, R A J Spurrell</i> | 125 | Large right atrial thrombosis. Rare complication during permanent transvenous endocardial pacing <i>G L Nicolosi, P A Charmet, D Zanuttini</i> | 199 |
| Haemodynamic effects of prenalterol in patients with coronary heart disease <i>I Hutton, R G Murray, R N Boyes, A P Rae, W S Hillis</i> | 134 | Clinical evaluation of Dinamap 845 automated blood pressure recorder <i>J H Silas, A T Barker, L E Ramsay</i> | 202 |
| Mechanism of influence of PR interval on loudness of first heart sound <i>G Leech, N Brooks, Anne Green-Wilkinson, A Leatham</i> | 138 | Salbutamol in treatment of heart failure <i>P D V Bourdillon, J R Dawson, R A Foale, A D Timmis, P A Poole-Wilson, G C Sutton</i> | 206 |
| Pulsed Doppler echocardiography for diagnosis of ventricular septal defects <i>A Magherini, G Azzolina, V Wiechmann, F Fantini</i> | 143 | Second report of a Joint Cardiology Committee of the Royal College of Physicians of London and the Royal College of Surgeons of England on combined cardiac centres for investigation and treatment with a note on the requirements of cardiology in hospitals outside such a centre | 211 |
| Scanning suprasternal echocardiography <i>T H Goh, A W Venables</i> | 148 | Haemodynamic effects of oral salbutamol alone and in combination with sublingual isosorbide dinitrate in patients with severe congestive cardiac failure <i>J D Stephens, S O Banim, R A J Spurrell</i> | 220 |
| Diastolic movement of mitral valve in hypertrophic cardiomyopathy. An echocardiographic study <i>A Venco, F. Recusani, A Sgalambro</i> | 159 | Relation between isovolumic relaxation period of left ventricle and pulmonary artery pressure in d-transposition of the great arteries <i>F Bourlon, J-C Fouron, J Battle-Diaz, G Ducharme, A Davignon</i> | 226 |
| Natural history of left bundle-branch block <i>S W Rabkin, F A L Mathewson, R B Tate</i> | 164 | Case reports | |
| Left ventricular hypertrophy in presence of complete left bundle-branch block <i>R W Zmyslinski, J F Richeson, T Akiyama</i> | 170 | Non-invasive diagnosis of a false left ventricular aneurysm by echocardiography and pulsed Doppler echocardiography <i>E Grube, D Redel, R Janson</i> | 232 |
| Five-year survival of 728 patients after myocardial infarction. A community study <i>S Pohjola, P Siltanen, M Romo</i> | 176 | Rheumatoid aortic valve prolapse requiring emergency aortic valve replacement <i>D C Linch, D J Gillmer, W F Whimster, J R W Keates</i> | 237 |
| Mechanocardiographic assessment of left ventricular function in coronary artery disease <i>F Van de Werf, J Piessens, H De Geest, H Kesteloot</i> | 184 | Thrombosis and embolism complicating ventriculoatrial shunt for hydrocephalus: echocardiographic findings <i>A A Schmaltz, R Huenges, R P Heil</i> | 241 |
| Bypass surgery for left main coronary artery disease. Reduced perioperative myocardial infarction with preoperative intra-aortic balloon counterpulsation <i>S R Tahan, A S Geha, G L Hammond, L S Cohen, R A Langou</i> | 191 | Correspondence | 244 |

British Medical Association